



EC DECLARATION OF PERFORMANCE

(System 3)

Issue No: 1

Omega Trade Frames Ltd
Units 5-6 Heywood Estate
Pottery Road
Kingsteignton
Devon
TQ12 3RS

This document declares that the product:

Liniair Window

System Description: Casement

For domestic and commercial buildings, conforming to the product requirements of BS EN 14351-1:2006+A1:2010 Annex ZA

Essential Characteristics	Performance	Test Standards	Name, Address and Notified Body No of Test Laboratory	Test report reference and issue date
Watertightness	npd	BS EN 1027		
Dangerous substances	none	BS EN 14351-1: 2006+A1:2010		
Resistance to wind load	npd	BS EN 12211		
Load-bearing capacity of safety devices	passed	BS EN 948	Build Check Ltd, Cressex Business Park, High Wycombe Bucks HP12 3PY-1806	W13001-10 W13001-19 5 th Feb 2013
Acoustic performance	npd	BS EN ISO 140-3		
Thermal transmittance	1.6W/m ² .k	EN ISO 10077-1 & EN ISO 10077-2 (or EN ISO 12567-1 and prEN 12567-2)	Build Check Ltd	24/06/13 CU13165-2
Radiation properties	npd	EN 410		
Air permeability	npd	BS EN 1026		

This declaration of performance is issued under the sole responsibility of Omega Trade Frames Ltd.

Signed on behalf of Omega Trade Frames Limited:

Signature: B.Paul

Name and Position: Ben Paul (Manager)

Date:24/06/2013